

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	574	(257/411).CCLS.	USPAT; EPO; JPO	OR	OFF	2005/03/17 12:34
L2	51	257/411.ccls. and metal adj gate	USPAT; EPO; JPO	OR	OFF	2005/03/17 12:36
L3	56	257/410.ccls. and metal adj gate	USPAT; EPO; JPO	OR	OFF	2005/03/17 12:36
L4	1878	(257/355,358,356).CCLS.	USPAT; EPO; JPO	OR	OFF	2005/03/17 14:01
L5	702	(257/355,358,356).ccls. and protect	USPAT; EPO; JPO	OR	OFF	2005/03/17 13:49
L6	838	(257/355,358,356,360).ccls. and protect	USPAT; EPO; JPO	OR	OFF	2005/03/17 13:49
L7	732	(257/360).CCLS.	USPAT; EPO; JPO	OR	OFF	2005/03/17 14:00
L8	796	(257/360).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/17 14:00
L9	2108	(257/355,358,356).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/17 14:01
S1	0	"20040124471".pn.	USPAT; EPO; JPO	OR	OFF	2004/08/26 08:10
S2	1	"20040124471".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/26 08:47
S3	1282	(257/355).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 08:47
S4	777	257/355,173,328,356,360,546,358.ccls. and protect and gate	USPAT; EPO; JPO	OR	OFF	2004/08/26 09:52
S5	5	("5477414"   "5515226"   "5942916"   "5969929"   "6385028").PN.	USPAT	OR	OFF	2004/08/26 08:59
S6	18	("3577043"   "3787717"   "4028564"   "4430581"   "4491746"   "4688065"   "4739437"   "4757363"   "4791317"   "4829350"   "4903093"   "4994874"   "4996626"   "5010380"   "5016078"   "5072271"   "5212618"   "5386135").PN.	USPAT	OR	OFF	2004/08/26 09:39

S7	11	("3667009"   "3746946"   "3777216"   "3819952"   "4143391"   "4423431"   "4527213"   "5157573"   "5212618"   "5270265"   "5477407").PN.	USPAT	OR	OFF	2005/03/17 13:43
S8	29	257/355,173,328,356,360,546, 358.ccls. and protect and gate and (channel adj (stopper or stop or stopping))	USPAT; EPO; JPO	OR	OFF	2004/08/26 09:58
S9	1468	(257/355,358).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 09:58
S10	498	257/355,358.ccls. and internal	USPAT; EPO; JPO	OR	OFF	2004/08/26 13:00
S11	1	("6,573,566").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 12:44
S12	5	("5629544"   "5965917"   "6015992"   "6191453"   "6323073").PN.	USPAT	OR	OFF	2004/08/26 10:03
S13	5	("5272586"   "5321293"   "5698886"   "5760630"   "5821797").PN.	USPAT	OR	OFF	2004/08/26 12:21
S14	7	("4100561"   "4994874"   "5406105"   "5432368"   "5442217"   "5576557"   "5594265").PN.	USPAT	OR	OFF	2004/08/26 12:22
S15	1	("5977594").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 12:53
S16	1	("6545321").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 12:56
S17	1	("6559508").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 12:58
S18	1	("6469354").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 12:58
S19	27	257/355,358.ccls. and metal adj gate	USPAT; EPO; JPO	OR	OFF	2004/08/26 13:06
S20	7	257/355,358.ccls. and metal adj gate adj electrode	USPAT; EPO; JPO	OR	OFF	2004/08/26 13:10
S21	10	257/355,356,360,546,358.ccls. and metal adj gate adj electrode	USPAT; EPO; JPO	OR	OFF	2004/08/26 13:32
S22	1	("6469354").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 15:35

S23	1	("6760204").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 16:07
S24	0	257/358.ccls. and protect and impedance	USPAT; EPO; JPO	OR	OFF	2004/08/26 16:07
S25	27	257/358.ccls. and protect and impedance	USPAT; EPO; JPO	OR	OFF	2004/08/26 17:46
S26	17	"5208597"	USPAT; EPO; JPO	OR	OFF	2004/08/26 17:47
S27	1	("5208597").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 17:47
S28	1	("5208597").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 17:50
S29	1	("5799379").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 17:50
S30	1	("6069050").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 17:51
S31	1	("6303957").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/26 17:51
S32	52	(impedance with resistor) and protection	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:24
S33	0	"20040124471".pn.	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:19
S34	1	"20040124471".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/04 13:21
S35	272	((impedance or impeding) with resistor) and current	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/04 13:23
S36	199	((impedance or impeding) with resistor) and current and transistor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/04 13:24
S37	13732	((impedance or impeding) with resistor) and current and transistor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/04 13:24
S38	3704	(impedance with resistor) and protection	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:24
S39	2614	(impedance with resistor) and protection and transistor	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:24

S40	1155	(impedance with resistor) and protection and transistor and internal	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:24
S41	1125	(impedance with resistor) and protection and transistor and internal and current	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:27
S42	78	(impedance with resistor) and protection and transistor and internal adj circuit and current	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:33
S43	42	(impedance with resistor with (greater or great or low or lower)) and protection and transistor and internal adj circuit and current	USPAT; EPO; JPO	OR	OFF	2004/09/04 13:48
S44	44	((impedance or resistance) with resistor with (greater or great or low or lower) with transistor) and protection and transistor and internal adj circuit and current	USPAT; EPO; JPO	OR	OFF	2004/09/04 14:05
S45	101	impedance with greater with transistor with resistor	USPAT; EPO; JPO	OR	OFF	2004/09/04 14:10
S46	1	("6760204").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/04 14:58
S47	1	("6573566").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/04 15:12
S48	1	("6154063").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/04 15:12
S49	1	"20040124471".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/05 09:00
S50	1	("6573566").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/05 09:26
S51	1	("6469354").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/05 09:28
S52	123	share adj gate	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:37
S53	1	("5748459").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/05 09:37
S54	49	impedance with resistor with greater with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:48
S55	1	impedence with resistor with greater with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:48

S56	2284	impedance with resistor with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:48
S57	8	greater adj impedance with resistor with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:52
S58	18	higher adj impedance with resistor with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:58
S59	0	higher adj impedance with (input adj (resistor or resistance)) with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:58
S60	0	(higher or greater) adj impedance with (input adj (resistor or resistance)) with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 09:59
S61	32	impedance with (input adj (resistor or resistance)) with diode	USPAT; EPO; JPO	OR	OFF	2004/09/05 10:18
S62	40	(input adj impedance) with improves	USPAT; EPO; JPO	OR	OFF	2004/09/05 10:27
S63	7944	(high adj input adj impedance)	USPAT; EPO; JPO	OR	OFF	2004/09/05 10:27
S64	783	(high adj input adj impedance) with resistor	USPAT; EPO; JPO	OR	OFF	2004/09/05 10:38
S65	1	("6573566").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/05 11:06
S66	1	"20030094673".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/09/05 11:25
S67	1	("6365447").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/05 11:25
S68	1	("6603158").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/09/07 15:14
S69	0	"20040124471".pn.	USPAT; EPO; JPO	OR	OFF	2005/03/13 16:50
S70	1	"20040124471".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/13 17:36
S71	0	"1996303168".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/13 17:36
S72	1	"10140268".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/13 17:52
S73	1	("5041700").PN.	USPAT; EPO; JPO	OR	OFF	2005/03/13 17:54

S74	1	"02145735".pn.	USPAT; EPO; JPO	OR	OFF	2005/03/13 17:55
S75	1	"20040124471"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/16 19:45
S76	1	("6573566").PN.	USPAT; EPO; JPO	OR	OFF	2005/03/17 12:27